


## HFN ALUMINUM SERIES / 70mm

EN 1822 EFFICIENCY: E10-U16  
 MEDIA : Micro Glass Fibre  
 SEPARATORS: Hotmelt  
 PROTECTION GRIDS: Painted Aluminum on, both sides  
 GASKET: Two component, continuous, polyurethane  
 FINAL PRESSURE DROP: 600 Pascals  
 OPERATING TEMPERATURE: 80 °C degrees



### LAMINAR FLOW FILTERS WITH 70mm DEPTH EXTRUDED ALUMINUM FRAME

Part Number	Filter Class (EN 1822)	Width (mm)	Height (mm)	Depth (mm)	Media Area (m <sup>2</sup> )	Air Flow (m <sup>3</sup> /h) (0,45m/s)	Pressure drop (Pascals)
<b>E10</b>							
HFN-305/305/70-10AD2G	E10	305	305	70	2,60	150	50
HFN-457/457/70-10AD2G	E10	457	457	70	5,80	335	50
HFN-457/610/70-10AD2G	E10	457	610	70	7,80	450	50
HFN-305/610/70-10AD2G	E10	305	610	70	5,20	300	50
HFN-610/610/70-10AD2G	E10	610	610	70	10,4	600	50
HFN-610/915/70-10AD2G	E10	610	915	70	15,6	900	50
HFN-610/1220/70-10AD2G	E10	610	1220	70	20,8	1200	50
HFN-610/1524/70-10AD2G	E10	610	1524	70	26,0	1500	50
HFN-610/1830/70-10AD2G	E10	610	1830	70	31,2	1800	50
HFN-610/762/70-10AD2G	E10	610	762	70	13,0	750	50
HFN-762/762/70-10AD2G	E10	762	762	70	16,2	935	50
HFN-915/915/70-10AD2G	E10	915	915	70	23,4	1350	50
HFN-915/1220/70-10AD2G	E10	915	1220	70	31,2	1800	50

<b>E11</b>							
HFN-305/305/70-11AD2G	E11	305	305	70	2,60	150	70
HFN-457/457/70-11AD2G	E11	457	457	70	5,80	335	70
HFN-457/610/70-11AD2G	E11	457	610	70	7,80	450	70
HFN-305/610/70-11AD2G	E11	305	610	70	5,20	300	70
HFN-610/610/70-11AD2G	E11	610	610	70	10,4	600	70
HFN-610/915/70-11AD2G	E11	610	915	70	15,6	900	70
HFN-610/1220/70-11AD2G	E11	610	1220	70	20,8	1200	70
HFN-610/1524/70-11AD2G	E11	610	1524	70	26,0	1500	70
HFN-610/1830/70-11AD2G	E11	610	1830	70	31,2	1800	70
HFN-610/762/70-11AD2G	E11	610	762	70	13,0	750	70
HFN-762/762/70-11AD2G	E11	762	762	70	16,2	935	70
HFN-915/915/70-11AD2G	E11	915	915	70	23,4	1350	70
HFN-915/1220/70-11AD2G	E11	915	1220	70	31,2	1800	70

## LAMINAR FLOW FILTERS WITH 66mm DEPTH EXTRUDED ALUMINUM FRAME

Part Number	Filter Class (EN 1822)	Width (mm)	Height (mm)	Depth (mm)	Media Area (m <sup>2</sup> )	Air Flow (m <sup>3</sup> /h) (0,45m/s)	Pressure drop (Pascals)
<b>E12</b>							
HFN-305/305/70-12AD2G	E12	305	305	70	2,60	150	95
HFN-457/457/70-12AD2G	E12	457	457	70	5,80	335	95
HFN-457/610/70-12AD2G	E12	457	610	70	7,80	450	95
HFN-305/610/70-12AD2G	E12	305	610	70	5,20	300	95
HFN-610/610/70-12AD2G	E12	610	610	70	10,4	600	95
HFN-610/915/70-12AD2G	E12	610	915	70	15,6	900	95
HFN-610/1220/70-12AD2G	E12	610	1220	70	20,8	1200	95
HFN-610/1524/70-12AD2G	E12	610	1524	70	26,0	1500	95
HFN-610/1830/70-12AD2G	E12	610	1830	70	31,2	1800	95
HFN-610/762/70-12AD2G	E12	610	762	70	13,0	750	95
HFN-762/762/70-12AD2G	E12	762	762	70	16,2	935	95
HFN-915/915/70-12AD2G	E12	915	915	70	23,4	1350	95
HFN-915/1220/70-12AD2G	E12	915	1220	70	31,2	1800	95
<b>H13</b>							
HFN-305/305/70-13AD2G	H13	305	305	70	2,60	150	110
HFN-457/457/70-13AD2G	H13	457	457	70	5,80	335	110
HFN-457/610/70-13AD2G	H13	457	610	70	7,80	450	110
HFN-305/610/70-13AD2G	H13	305	610	70	5,20	300	110
HFN-610/610/70-13AD2G	H13	610	610	70	10,4	600	110
HFN-610/915/70-13AD2G	H13	610	915	70	15,6	900	110
HFN-610/1220/70-13AD2G	H13	610	1220	70	20,8	1200	110
HFN-610/1524/70-13AD2G	H13	610	1524	70	26,0	1500	110
HFN-610/1830/70-13AD2G	H13	610	1830	70	31,2	1800	110
HFN-610/762/70-13AD2G	H13	610	762	70	13,0	750	110
HFN-762/762/70-13AD2G	H13	762	762	70	16,2	935	110
HFN-915/915/70-13AD2G	H13	915	915	70	23,4	1350	110
HFN-915/1220/70-13AD2G	H13	915	1220	70	31,2	1800	110
<b>H14</b>							
HFN-305/305/70-14AD2G	H14	305	305	70	2,60	150	120
HFN-457/457/70-14AD2G	H14	457	457	70	5,80	335	120
HFN-457/610/70-14AD2G	H14	457	610	70	7,80	450	120
HFN-305/610/70-14AD2G	H14	305	610	70	5,20	300	120
HFN-610/610/70-14AD2G	H14	610	610	70	10,4	600	120
HFN-610/915/70-14AD2G	H14	610	915	70	15,6	900	120
HFN-610/1220/70-14AD2G	H14	610	1220	70	20,8	1200	120
HFN-610/1524/70-14AD2G	H14	610	1524	70	26,0	1500	120
HFN-610/1830/70-14AD2G	H14	610	1830	70	31,2	1800	120
HFN-610/762/70-14AD2G	H14	610	762	70	13,0	750	120
HFN-762/762/70-14AD2G	H14	762	762	70	16,2	935	120
HFN-915/915/70-14AD2G	H14	915	915	70	23,4	1350	120
HFN-915/1220/70-14AD2G	H14	915	1220	70	31,2	1800	120

## LAMINAR FLOW FILTERS WITH 70mm DEPTH EXTRUDED ALUMINUM FRAME

Part Number	Filter Class (EN 1822)	Width (mm)	Height (mm)	Depth (mm)	Media Area (m <sup>2</sup> )	Air Flow (m <sup>3</sup> /h) (0,45m/s)	Pressure drop (Pascals)
<b>U15</b>							
HFN-305/305/70-15AD2G	U15	305	305	70	2,60	150	140
HFN-457/457/70-15AD2G	U15	457	457	70	5,80	335	140
HFN-457/610/70-15AD2G	U15	457	610	70	7,80	450	140
HFN-305/610/70-15AD2G	U15	305	610	70	5,20	300	140
HFN-610/610/70-15AD2G	U15	610	610	70	10,4	600	140
HFN-610/915/70-15AD2G	U15	610	915	70	15,6	900	140
HFN-610/1220/70-15AD2G	U15	610	1220	70	20,8	1200	140
HFN-610/1524/70-15AD2G	U15	610	1524	70	26,0	1500	140
HFN-610/1830/70-15AD2G	U15	610	1830	70	31,2	1800	140
HFN-305/762/70-15AD2G	U15	305	762	70	6,50	375	140
HFN-610/762/70-15AD2G	U15	610	762	70	13,0	750	140
HFN-762/762/70-15AD2G	U15	762	762	70	16,2	935	140
HFN-915/915/70-15AD2G	U15	915	915	70	23,4	1350	140
HFN-915/1220/70-15AD2G	U15	915	1220	70	31,2	1800	140